Freeform Search

Database:	US OC EPO A JPO Al Derwe	bstracts D bstracts D ent World P	xt Database atabase				
-	19 no	······································					
			_	olay Format: C Side by S		vith Number	- 20

DATE: Monday, January 30, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB, US	EPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=	=YES; OP=ADJ	
<u>L10</u>	19 not 17	16	<u>L10</u>
<u>L9</u>	18 and 16 and 12 and 13	33	<u>L9</u>
<u>L8</u>	sperm	33164	<u>L8</u>
<u>L7</u>	15 and 16	17	<u>L7</u>
<u>L6</u>	extender	66464	<u>L6</u>
<u>L5</u>	11 and 12 and 13	71	<u>L5</u>
<u>L4</u>	11 same 12 same 13	2	<u>L4</u>
<u>L3</u>	sex	59990	<u>L3</u>
<u>L2</u>	cryopreserv\$5	4987	<u>L2</u>
<u>L1</u>	sperm cell	1607	<u>L1</u>

END OF SEARCH HISTORY



Welcome to STN International! Enter x:x

LOGINID: SSSPTAU188MXM

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
NEWS 1
                Web Page URLs for STN Seminar Schedule - N. America
                "Ask CAS" for self-help around the clock
NEWS 2
NEWS 3 DEC 05 CASREACT(R) - Over 10 million reactions available
NEWS 4 DEC 14 2006 MeSH terms loaded in MEDLINE/LMEDLINE
NEWS 5 DEC 14 2006 MeSH terms loaded for MEDLINE file segment of TOXCENTER
NEWS 6 DEC 14 CA/CAplus to be enhanced with updated IPC codes
NEWS 7 DEC 21 IPC search and display fields enhanced in CA/Caplus with the
                IPC reform
NEWS 8 DEC 23 New IPC8 SEARCH, DISPLAY, and SELECT fields in USPATFULL/
                USPAT2
NEWS 9 JAN 13 IPC 8 searching in IFIPAT, IFIUDB, and IFICDB
NEWS 10 JAN 13 New IPC 8 SEARCH, DISPLAY, and SELECT enhancements added to
                INPADOC
NEWS 11 JAN 17 Pre-1988 INPI data added to MARPAT
        JAN 17 IPC 8 in the WPI family of databases including WPIFV
NEWS 12
NEWS 13 JAN 30 Saved answer limit increased
```

NEWS EXPRESS JANUARY 03 CURRENT VERSION FOR WINDOWS IS V8.01,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.
V8.0 USERS CAN OBTAIN THE UPGRADE TO V8.01 AT
http://download.cas.org/express/v8.0-Discover/

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 19:30:23 ON 30 JAN 2006

=> file ca, biosis, medline
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.63 0.63

FULL ESTIMATED COST

FILE 'CA' ENTERED AT 19:32:09 ON 30 JAN 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS) FILE 'BIOSIS' ENTERED AT 19:32:09 ON 30 JAN 2006 Copyright (c) 2006 The Thomson Corporation FILE 'MEDLINE' ENTERED AT 19:32:09 ON 30 JAN 2006 => s sperm cell? 7089 SPERM CELL? L1=> s cryopreserv? 32071 CRYOPRESERV? => s sex 703536 SEX L3 => s extender 9579 EXTENDER => s 11 and 12 and 13 and 14 0 L1 AND L2 AND L3 AND L4 => s sperm 147014 SPERM 1.6 => s 12 and 13 and 14 and 16 2 L2 AND L3 AND L4 AND L6 T.7 => d 1-2 ab, bib ANSWER 1 OF 2 CA COPYRIGHT 2006 ACS on STN Expts. were performed to validate an extraction technique for canine acrosin AB (EC 3.4.21.10) and to quantitate the acrosin activity of fresh and frozen-thawed spermatozoa. Acrosin activity from fresh spermatozoa differed amongst dogs and was influenced by the interval since previous ejaculation. Freezing and thawing spermatozoa induced a loss of acrosin activity that differed with the extender in which the spermatozoa were frozen. The assay of acrosin activity, in conjunction with motility ests., provides a more complete evaluation of the efficacy of seminal extenders in attenuating freezing injury than do motility ests. alone. ΑN 100:83444 CA Acrosin activity of canine spermatozoa as an index of cellular damage TI Froman, D. P.; Amann, R. P.; Riek, P. M.; Olar, T. T. ΑU Anim. Reprod. Lab., Colorado State Univ., Fort Collins, CO, 80523, USA CS Journal of Reproduction and Fertility (1984), 70(1), 301-8 SO CODEN: JRPFA4; ISSN: 0022-4251 DT Journal LΑ English ANSWER 2 OF 2 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN L7 Black sea bass Centropristis striata L. are protogynous hermaphrodites AB that develop and spawn as females before changing sex to male. Since all fish eventually become males, determining the relationship between sperm production, sperm quality and seasonal changes in plasma levels of testosterone (T) and 11-ketotestosterone (11-KT) could be useful for identifying appropriate males to maintain as broodstock. Milt and blood samples were collected three times during an 8-week spawning season. Milt volume (3.5+/-0.76 mL kg-1), sperm density (3.2 x 108+/-0.31 cells mL-1), sperm production (11 x 108+/-3.4 cells kg-1 body weight (BW)) and sperm motility (80+/-0.6%) were at their highest during the first sampling interval and coincided with the highest 11-KT levels (1.0+/- 0.11 ng mL-1). All of the sperm indices decreased to their lowest levels during the final 3 weeks of the study. Sperm viability was highly correlated (adjusted R2=0.84) with sperm motility. Sperm cryopreserved in modified Mounib's extender (MME) had the highest post-thaw motility compared with two other extenders. Post-thaw motility of sperm cryopreserved in MME was not different from fresh after 90 days of storage. There was no

difference in fertilization rates between fresh (69+/-2.4%) and post-thaw (67+/-4.1%) sperm samples taken from the same male or among males. These results demonstrate that the quality of black sea bass spermatozoa is higher earlier in the spawning season and that acceptable post-thaw fertilization rates can be obtained from **cryopreserved** sperm.

- AN 2005:102134 BIOSIS
- DN PREV200500099168
- TI Production and storage of **sperm** from the black sea bass Centropristis striata L.
- AU DeGraaf, James Dana; King, William; Benton, Christopher; Berlinsky, David L. [Reprint Author]
- CS Dept Zool, Univ New Hampshire, Durham, NH, 03824, USA david.berlinsky@unh.edu
- SO Aquaculture Research, (December 22 2004) Vol. 35, No. 15, pp. 1457-1465. print.

 ISSN: 1355-557X (ISSN print).
- DT Article
- LA English
- ED Entered STN: 9 Mar 2005

Last Updated on STN: 9 Mar 2005